



BRILLIANT IDEAS FOR YOUR BATH



bascoshowerdoor.com

COMMITMENT

TO QUALITY & SERVICE

When we opened our doors in 1955, we opened up a whole new world of bath possibilities.

Today, our goal is to manufacture the finest shower enclosures available anywhere. In fact, Basco has consistently been rated number one in quality and brand preference within the industry. And our service is unparalleled.

We're confident that we can meet, even exceed, your standards. Because there are no standards higher than our own.



George W. Rohde, President & Chief Executive Officer
G. William Rohde, Chairman of the Board

INDEX



WHAT MAKES BASCO BETTER?2-3

LUXURY GLASS ENCLOSURES



.....4-5



TUB & SHOWER SLIDING ENCLOSURES

Ultima 3/8" Frameless (2850, 3850)6-7

Supreme (2150, 3150)8-9

Infinity 1/4" Frameless (4400, 4500)10-11

Deluxe (6150, 7150)12-13

Frameless (3400, 3500)14-15



SWING DOORS

Infinity 1/4" Frameless Continuous Hinge (1400, 1700)16-17

Framed Pivot (100, 200)18-19

Framed Hinge (15, 16)19

Framed Bi-Fold (1100)19

Frameless Pivot (3600)20-21



DOOR & PANEL ENCLOSURES

Thinline - Custom22-23

Thinline - Standard (100, 700 Series)24-25

Infinity 1/4" Frameless Continuous Hinge
(1400, 1700 Series & Custom)26-27



CURVED GLASS ENCLOSURES

Contours Sliding (770)28

Contours Pivot (660)29

Contours Bases (600, 601, 701)28-29



STEAM ENCLOSURES

Seal-Tight Thinline Pivot (100, 700 Series)30

Seal-Tight Sliding (2000, 3000, 3055)31

Seal-Tight Pivot (18S)31



PRODUCT INFORMATION

Frame Finishes32-33

Glass Options34-35


Product Care36

Specifications37

THE BEST SHOWER FOR YOUR BATH




VARIETY OF FRAME COLOURS Designed to complement today's most popular faucet and bath hardware, Basco's palette of painted and metallic finishes allows you to create a perfectly coordinated bath environment.



PREMIUM GLASS OPTIONS Basco offers the industry's largest variety of luxurious glass options. Safety-tempered glass, used in all our enclosures, is five times stronger than ordinary glass.



Our commitment to excellence allows us to back our products with a lifetime warranty.



CUSTOM DESIGNS 45 years of experience makes Basco the leader in custom enclosures. Basco can fit any style and size you need. And because of our expertise, orders are shipped in days, not weeks.

DOOR

HARDENED ALUMINUM FRAMES Extruded and hardened with an exclusive heat treatment for lasting beauty. This process prevents bending and preserves the surface from unsightly scratches.



QUALITY ENGINEERING Basco fabricates each shower door with precision accuracy and premium materials to ensure maximum performance and lasting durability. That's why we're consistently rated number one in quality and brand preference within the industry.



ADVANCED BASCOAT™ FINISH Basco's own finishing system protects your shower door's lustre and shine. For all Colours products, durable polyester resin is baked on the surface to create an impenetrable moisture shield.



EASY-TO-CLEAN Basco makes cleaning a breeze. An exclusive Sta-Kleen™ track on all sliding doors prevents dirt from accumulating. For swing doors, innovative drip systems keep water in the shower and off the floor.



Celesta™

luxury glass enclosures

A bathroom featuring a total shower environment from Celesta is today's ultimate in design, distinction and elegance. From the exceptional beauty and brilliance of our precision cut glass to the smooth, artistic refinement of our custom hardware, Celesta Luxury Glass Enclosures by Basco exquisitely indulge any and every desire. Transforming even the most fantastic dream into a spectacular reality.



1/2" Celesta Luxury Enclosure - Prima Hinges

DOUBLE-SIDED DOOR PULL SETS Our brass pulls are available in traditional or circular styles and add a luxurious look to your shower. Basco's smooth and twist style clear acrylic pulls complete the all-glass appearance.

FINISHES Basco's hinges, pulls and towel bars are available in six elegant finishes to perfectly complement your bathroom décor.

- | | |
|----------------------|---------------------|
| Brass (BR) | Chrome (CH) |
| Gold Plated (GP) | Satin Chrome (SC) |
| Polished Nickel (PN) | Brushed Nickel (BN) |



TRADITIONAL




SMOOTH



CIRCULAR



TWIST



TOWEL BARS & TOWEL BAR SETS

Try an outstanding combination of beauty and convenience with the integrated pull and towel bar sets. Our towel bars are constructed of heavy wall brass tubing and are available in six finishes, and our clear acrylics are available in smooth and twist styles.

EMPLOYEE INVOLVEMENT TEAMS

EIT's ensure that our high quality standard is continuously maintained, and that your customers receive the best shower door available.



Our commitment to excellence allows us to back these products with a **THREE YEAR WARRANTY**



3850CLGD Ultima - Clear Glass, Gold Frame

ULTIMA

3/8" FRAMELESS
TUB & SHOWER
SLIDING ENCLOSURES
2850, 3850

True to its name, Ultima is the most exquisite in Frameless Tub & Shower Sliding Enclosures. In addition to enhancing performance and stability, the 3/8" luxury glass is aesthetically superior. Acrylic towel bars and pulls accentuate Ultima's open, unrestricted design.



2850CLGD Ultima - Clear Glass, Gold Frame



TOWEL BARS Interior and exterior Ultima sliding doors are accentuated by acrylic towel bars.



ALUMINUM TOWEL BARS
Optional aluminum towel bars are available in a variety of finishes.



POCKETED WALL JAMBS
Ultima's pocketed wall jambs prevent leakage and hold the panels in place.



TRACK Ultima's innovative track with three guides keeps panels securely in place.



3/8" LUXURY GLASS
Thicker, heavier glass adds stability and enhances Ultima's rich appearance.



2150FGD Supreme - Fluted Glass, Gold Frame

SUPREME

TUB & SHOWER
SLIDING ENCLOSURES
2150, 3150

A departure from standard framed models, Supreme has a completely rounded design that conveys a distinctive look like never before. Clear pull handles, bumpers and guides add a touch of elegance that further define Supreme as the centerpiece of today's modern bath.



3150CLCU Supreme - Clear Glass, Burnished Copper Frame


TOWEL BARS Supreme's rounded towel bars provide a smooth, polished look and feeling of elegance, complementing the unit's curved design.



TRACK A step beyond Basco's original, this Sta-Kleen track keeps dirt from accumulating and has a lower profile for a streamlined appearance.



POCKETED WALL JAMBS A Supreme exclusive, the S-shaped wall jamb design prevents leakage and holds the panels in place.



CURVED RAILS Supreme's door frame is curved rather than flat to complement the towel bar and header.



DESIGNER HEADER A rounded header further distinguishes Supreme from other enclosures in the industry.



Basco's Customer Service Department delivers fast, **ACCURATE ANSWERS** to all your questions.



4400MTSN Infinity - Steam Mist Glass, Satin Nickel Frame

INFINITY

1/4" FRAMELESS TUB & SHOWER
SLIDING ENCLOSURES
4400, 4500

The finest in frameless, Infinity is marked by a curved design that reflects today's unencumbered bath styles. The 1/4" glass with polished edges sets Infinity apart not just in terms of design, but in performance as well.



4500CDNN Infinity - Clear Beveled Glass, Linen White Frame Pull handles replace towel bars on beveled units.

HEADER The header is rounded to accentuate Infinity's open, unrestricted design.



1/4" GLASS Accented with a lustrous polished edge, Infinity's thicker glass adds stability as well as a rich appearance.



TRACK Basco's renowned Sta-Kleen track is virtually self-cleaning because there is no dirt buildup as in conventional tracks.



TOWEL BARS Curved towel bars appear to be suspended on the glass creating a more spacious, elegant look.



Our shipping department ensures **QUICK DELIVERY** and expert handling of enclosures.



6150 Deluxe - Obscure Glass, Silver Frame

DELUXE

TUB & SHOWER
SLIDING ENCLOSURES
6150, 7150

Basco's most popular enclosure, Deluxe possesses proven quality in design and performance. Unlike other enclosures in its class, Deluxe has polished anodized metal made in a heavier gauge, as well as two towel bars instead of one.



7150CLPL Deluxe - Clear Glass, Platinum Frame

TOWEL BARS Distinctive towel bars on the interior and the exterior of the door provide added convenience.



BY-PASS STOP This feature keeps the inside panel on the same side as the shower head to prevent leakage.



SAFETY T-LOCK Because it is integrated in the wall jamb, the T-lock secures the header to hold the panels in place.



ADJUSTABLE ROLLER The roller assembly is slotted so that out-of-square wall conditions can be adjusted up to 3/8".



Basco makes enclosures to fit all sizes of **FIBERGLASS & ACRYLIC** modulares for over 35 tub and shower manufacturers.



TRACK The Sta-Kleen track's gentle slope and rounded front keep water in the shower and off the floor.



3500RFWI Frameless - Reflections Glass, Wrought Iron Frame

FRAMELESS

TUB & SHOWER
SLIDING ENCLOSURES
3400, 3500

Clean, spacious design is what makes Frameless unique. It's free from excess metal, free from unsightly overlapping panels, creating an open, more spacious bath environment.



3400EEGD Frameless - Clear Etched Glass, Gold Frame

TRACK & GUIDE SYSTEM The Sta-Kleen track prevents dirt from accumulating and the guide system keeps the panels in place for smooth operation.



BUMPER To better protect the glass, two bumpers on each wall jamb ensure that there is no glass-to-metal contact.



FRAMELESS ROLLER ASSEMBLY The factory-installed roller assembly keeps the door in place and provides for easy out-of-square adjustment.



TOWEL BAR The towel bar has acrylic brackets and matching aluminum sleeves for a more streamlined appearance. (A second towel bar is available as an option.)



Orders can be filled quickly because Basco has a **COMPLETE INVENTORY** of enclosures in stock and readily available.




1700 HMOR Infinity Frameless Continuous Hinge - Heirloom Glass, Oil Rubbed Bronze Frame

INFINITY

1/4" FRAMELESS CONTINUOUS HINGE
SWING DOORS
1400, 1700

From top to bottom, Infinity's frameless design and innovative hinge system use less metal framing, creating a vision of seamless beauty and sheer elegance. Luxurious 1/4" glass with polished edges not only enhances Infinity's rich appearance, but also adds stability and maximizes performance.



PULL & TOWEL BAR SET The perfect combination of beauty and convenience is created by integrating the pull and towel bar into one streamlined element. Available in a variety of styles and finishes.



CLEAR DRIP SYSTEM
Located at the bottom of the door, the clear vinyl seal keeps water in while maintaining the all-glass look. An innovative channel returns water to the inside of the shower.



FULLY INTEGRATED HINGE SYSTEM
Refined to reveal more glass and less metal, the singular hinge secures glass from top to bottom for maximum stability and quiet operation.



Explore a world of choices.
Preview the latest designs.
Visit BASCOSHOWERDOOR.COM



100CDGD Framed Pivot - Clear Beveled Glass, Gold Frame

FRAMED

SWING DOORS
100, 200, 15, 16, 1100

Basco proves once again that there's more than one way to achieve elegance in bath décor. In fact, there are three ways: Pivot, Hinged and Bi-Fold Framed Swing Doors. Sizes are available up to 36" wide and all are reversible for right or left swing. While each has its own distinctive look, collectively they're a fine example of Basco's ingenuity.

PIVOT SHOWER DOORS



T100CLGD Framed Pivot with Optional Towel Bar - Clear Glass, Gold Frame



MAGNETIC LATCH
Holds the door securely in place to keep water from escaping.




PIVOT JAMB Ensures smooth door operation and makes out-of-square adjustment easy.



DRIP SYSTEM At the bottom of the door, a channel returns water back inside the shower.

BI-FOLD SHOWER DOORS



INTRA-HINGE This full-length aluminum hinge provides stability for years of trouble-free operation.



CENTER HANDLE WITH MAGNETIC CLOSURE
Provides for a water-tight seal while making the door easy to open from the inside.



1100GD Intra-Hinge Bi-Fold - Obscure Glass, Gold Frame

HINGED SHOWER DOORS



15 Hinge - Obscure Glass, Silver Frame



ADJUSTABLE BULLET CATCH Spring-loaded feature ensures that the door remains securely latched.



WATER DEFLECTOR
Applied with self-adhesive tape, the water deflector keeps water inside the shower.



Basco leads the industry with **INNOVATIVE DESIGNS** that are truly superior in terms of aesthetics and performance.




3600MYNN Frameless Pivot - Symmetry Glass, Linen White Frame

FRAMELESS

PIVOT SWING DOOR 3600

Innovative engineering and spacious design make Frameless Pivot the perfect complement to sophisticated bath décors. The need for total metal framing has been eliminated, resulting in an enclosure that's visually unrestricted by lines and open to the imagination.

MAGNETIC HANDLE The perfect combination of form and function, this feature incorporates a magnetic latch to keep the door secure.



CLEAR VINYL SEAL To eliminate leakage, a clear gasket is located on the strike jamb and behind the pivot jamb.



PIVOT JAMB A streamlined version of Basco's original pivot system, this jamb ensures secure door operation and makes out-of-square adjustment easy.





Custom 760CLCU Neo-Angle with Notched Buttress Panel - Clear Glass, Burnished Copper Frame

CUSTOM

THINLINE DOOR & PANEL SHOWER ENCLOSURES

Available with a framed or frameless door, Basco's custom Door & Panel enclosures can be designed in any height, width and configuration to fit your exact opening dimensions. Then select from a spectrum of exciting frame colours and glass options. Also available with Quick 'N Stall option for installation which is twice as fast. Orders are shipped in days, not weeks.



Custom 750CLGD Additional Panel on Double Buttriss - Clear Glass, Gold Frame



We can take any idea, no matter how complex, and turn it into the shower of your dreams.



STEAM On Buttriss with Angled Transom Panels



Many of our enclosures can be fabricated to accommodate people with special needs.



SHOWER STALL
Glass-To-Glass
Corner and Notched
Buttriss Panel



It is our time-honored tradition to fabricate each Custom Enclosure individually to ensure **PERFECTION**.



160CLWI Neo-Angle - Clear Glass, Wrought Iron Frame

STANDARD

THINLINE DOOR & PANEL SHOWER ENCLOSURES 100, 700 SERIES

Five styles. All crafted in Basco's innovative Thinline design which emphasizes more glass and less metal for a more spacious appearance. The Door & Panel combination makes it possible to create glass walls for a variety of configurations. All are available with a framed or frameless door.




136CL Frameless Door & Panel - Clear Glass, Silver Frame



NEW & IMPROVED QUICK 'N STALL
Installation is twice as fast using this innovative product option. Featuring a new and improved notched design, drainage is now better than ever.



BASCO'S THINLINE



COMPETITOR'S FRAMING



DRIP SYSTEM
This design feature incorporates a channel that returns water back inside the shower.



SPLASH GUARD PIVOT RAIL Supported with a pin assembly instead of hinges, this feature ensures stable door operation and helps prevent leakage.



Panel-Door-Panel
125/725



Door-Panel
135/735



Door-90° Angle
145/745



Door-Panel-90° Angle
150/750



Neo-Angle
160/760

Door panels are available in framed or frameless. Standard unit heights are 68 1/2" or 72". Custom heights available.



C1713MTBN Infinity 1/4" Frameless Continuous Hinge Door & Panel with
Optional C-Pull/Towel Bar Combination - Steam Mist Glass, Brushed Nickel Frame

INFINITY

1/4" FRAMELESS CONTINUOUS HINGE
DOOR & PANEL SHOWER ENCLOSURES
1400, 1700 SERIES & CUSTOM

Enveloped by luxurious 1/4" glass, the frameless door features a continuous hinge system for added stability, durability and quiet operation. Infinity Door & Panel Enclosures are a popular choice among those with an eye for the extraordinary. The Door & Panel combination offers the flexibility to create glass walls in a variety of sizes and configurations. The streamlined design makes it possible to maintain an open, airy bath environment.



MAGNETIC LATCH This feature holds the door securely in place while preventing water from escaping. The through-the-glass handle completes Infinity's luxurious appearance.



CLEAR DRIP SYSTEM Located at the bottom of the door, the clear vinyl seal keeps water in while maintaining the all-glass look. An innovative channel returns water to the inside of the shower, helping keep the floor dry.



Panel-Door-Panel 1412/1712



Door-Panel 1413/1713



Door-90° Angle 1414/1714



Door-Panel-90° Angle 1415/1715



Neo-Angle 1416/1716



I STATUS

A fast, convenient way to check the status of your order and confirm delivery.

VISIT BASCOSHOWERDOOR.COM



770FG Contours - Fluted Glass, Silver Frame with 701WP - White Acrylic Base

CONTOURS

CURVED GLASS SHOWER ENCLOSURES 660, 770

Bath designs reached a turning point when Basco introduced Contours, the original curved glass enclosure. Contours reflects sophisticated Eurodesign. Whether for standard or custom applications, the tempered glass door is arced a full 90°, creating a larger and more spacious shower area than standard corner enclosures.

Curved bases are available in a variety of colours to complement Contours' anodized and Bascoat™ finishes.




660CLGD Contours - Clear Glass, Gold Frame with 601AP - Almond Acrylic Base




MATCHING CONTOURS BASE

770 ROLLER ASSEMBLY The curved glass panel is attached at both the top and bottom for stability and smooth operation.



STANDARD CORNER UNIT



CONTOURS 770

770 ZERO CLEARANCE A standard corner enclosure requires room clearance for its door to swing open. The 770 features a uniquely designed, internal sliding door that follows the curve of the base, so it requires "zero swing clearance." The door is also reversible for left or right entry.

660 FEATURES Full-length magnet holds the door in place to prevent leakage. Pivot pin assembly ensures smooth door operation. Door is reversible for right or left swing. For custom applications, templates are available.



Custom 660CLGD Contours - Clear Glass, Gold Frame



Custom 725CLWP Panel-Door-Panel Adapted for Steam - Clear Glass, White Frame

SEAL-TIGHT STEAM

SWING DOORS &
SLIDING ENCLOSURES
18S, 2000, 3000, 3055

Regardless of whether a sliding or a swing enclosure is preferred, Seal-Tight is the perfect choice. With Basco's unique gasket system, the steam stays inside the enclosure, creating a private world of relaxation. In short, the steam can't escape, but you can.



3000 Deluxe Steam - Obscure Glass, Silver Frame



Custom 18SCLPL Steam Pivot with Stationary Top Panel - Clear Glass, Platinum Frame

OPTIONAL TOP PANEL

When the opening is taller than 80" an optional stationary or hinged top panel is recommended.



STEAM SEAL This gasket is designed so that steam on sliding enclosures is contained within the shower.



POCKETED WALL JAMB

This feature holds sliding doors securely in place to keep steam inside the shower.



MAGNETIC LATCH

This feature holds swing doors securely in place to prevent water and steam from escaping.



VINYL DOOR SEAL

The seal, located at the top of the door, helps keep steam inside the unit.




Computer-generated labeling and individual inspection of each unit ensure **ORDER ACCURACY**.




FRAME FINISHES

WITH EXCLUSIVE BASCOAT™ COLOURS:


Basco's palette of painted and anodized finishes is a stroke of brilliance. Created to complement today's most popular fixtures, they turn any bath into a masterpiece. Basco's proprietary finishing system, Bascoat™, enhances lustre and shine. For all Colours products, durable polyester resin is baked on the surface to create an impenetrable moisture shield.




White (WP)




Almond (AP)




Cream (CM)



Linen White (NN)



Platinum (PL)




Satin Nickel (SN)



Wrought Iron (WI)



Bronze (BR)




Oil Rubbed Bronze (OR)



Burnished Copper (CU)

ANODIZED FINISHES



Silver (No Code)



Gold (GD)




Brushed Nickel (BN)

GLASS OPTIONS

Twelve styles that individually add a definitive touch of sophistication to any enclosure. Clear, patterned, reflective, beveled...Basco offers the industry's largest variety of luxurious glass options ranging in opacity for the degree of privacy desired. Safety-tempered glass, used in all our enclosures, is five times stronger than ordinary glass.



Steam Mist (MT)



Rain (RN)



Laurel (LA)




Reflections (RF)



Obscure (No Code)



Autumn (AU)



Symmetry (MY)



Clear (CL)



Fluted (FG)




Heirloom (HM)



Clear Etched (EE)



Clear Beveled (CD)



Clear Beveled (CD)



Clear Etched (EE)

Full glass panels pictured to show entire design.

PRODUCT CARE

Your complete satisfaction is our first priority. To keep your enclosure looking its best year after year, Basco recommends two outstanding cleaning products.



CLERÉT SQUEEGEE

When used after showering, clerét is a superior glass cleaning tool that prevents soap buildup and water spots. It is excellent for keeping all types of glass, especially clear, sparkling clean. Available in two color combinations.



CG101G clerét - white with gold accents
CG101 clerét - white with aqua blades



COMET® BATHROOM CLEANER Basco recommends Comet® Bathroom Cleaner as the best cleaner for its shower doors. This safe non-abrasive product dissolves soap buildup and hard water stains without harming the metal surface.



QUALITY SEAL

Look for this seal on every Basco product. It is your assurance of proven Basco engineering and quality.

AFFILIATIONS Basco is a member of the industry's finest organizations.



SPECIFICATIONS

Materials and Construction:

- A. Extruded aluminum shall be 6463-T5 alloy.
- B. All exposed screws or fasteners shall be stainless steel to prevent rust and corrosion.
Finish shall conform to Aluminum Association Specifications:
 - a. AA-M21-C31-A21 for buffed clear bright anodized aluminum (Silver).
 - b. AA-M21-C31-A23 for buffed color bright anodized aluminum (Gold).
 - c. AA-M35-C31-A21 for brushed colored bright anodized aluminum (Brushed Nickel).
 - d. All other colors are Polyester Powder Coated.

Glazing Materials:

Bath & Shower Enclosures

All glazing materials to be safety-tempered glass or other safety glazing materials to conform to CPSC standard 16 CFC 1201 Category I and II.

Individual Unit Features:

A. Units 2150, 3150

- 1. Adjustable, sealed, heavy duty ball bearing rollers.
- 2. Safety T-lock wall jamb to header connection.
- 3. Easy clean, self draining tub track.
- 4. Pocketed wall jambs for superior leak prevention.
- 5. Tub track attached with caulk.
- 6. Transparent molded panel guide for inconspicuous control of sliding panels.
- 7. Molded jamb bumpers with concealed fasteners.
- 8. Polished metal towel bars with clear polypropionate anti-reverse finger pulls. **Towel bars are not to be used as grab bars.**
- 9. Reversible round header design.

B. Units 6150, 7150

- 1. Adjustable sealed ball bearing rollers.
- 2. Safety T-lock jamb to header connection.
- 3. Easy clean, self draining tub track.
- 4. Molded jamb bumpers with concealed fasteners.
- 5. Nylon panel guide to be of sufficient height to prevent accidental dislodging of interior panel.
- 6. Polished metal towel bars with clear polypropionate anti-reverse finger pulls. **Towel bars are not to be used as grab bars.**

C. Units 3400, 3500, 4400, 4500

- 1. Adjustable sealed ball bearing rollers.
- 2. Safety T-lock jamb to header connection.
- 3. Easy clean, self draining tub track.
- 4. Molded jamb bumpers with concealed fasteners.
- 5. Nylon panel guide to be of sufficient height to prevent accidental dislodging of interior panel.
- 6. Polished metal towel bar(s). **Towel bar(s) are not to be used as grab bars.** (3400, 3500 have single towel bar).

D. Units 2850, 3850

- 1. Adjustable, sealed, heavy duty ball bearing rollers.
- 2. Safety T-lock wall jamb to header connection.
- 3. Easy clean, self draining tub track.
- 4. Pocketed wall jambs for superior leak prevention.
- 5. Tub track attached with caulk.
- 6. Transparent molded panel guide for inconspicuous control of sliding panels.
- 7. Clear molded peel-and-stick jamb bumpers.
- 8. Architectural grade aluminum towel bars with machined aluminum fastening system finished to match unit. **Towel bars are not to be used as grab bars.**
- 9. Reversible round header design.

E. Units 3600, 100, 200 Pivot Doors

- 1. All pivot plates shall be extruded aluminum, finished to match unit.
- 2. Pivot jambs shall have vertical vinyl seal.
- 3. All doors shall have continuous drip rail and seal at bottom of door. Drip rail to be attached with two sided tape with no exposed screws.
- 4. Pivot doors to have 1 1/2" lateral adjustment, 3/4" plus and 3/4" minus.
- 5. Pull handle on Unit 3600 shall be extruded aluminum with magnetic latch and vinyl seal.
- 6. Pull handles on Unit 100 and 200 to be extruded and finished to match unit. Latch to be full length magnetic strips in strike rail and strike jamb.

F. Units 15, 16

- 1. All doors shall have a continuous extruded hinge that is integral to the hinge rail and jamb in a finish to match the unit.
- 2. All doors shall have continuous water deflector and vinyl seal at bottom of door.
- 3. All doors shall have handles and adjustable catch in a finish to match the unit.
- 4. 15, 16 Series doors have an adjustable jamb to provide $\pm 3/8"$ adjustment.

G. Thinline Units 126, 726, 136, 736, 146, 746, 151, 751, 161, 761

- 1. Pivot jamb to have continuous vinyl seal.
- 2. Pull handles to be extruded aluminum with magnetic latch; finish to match unit.

Thinline Units 125, 125S, 725, 135, 735, 145, 745, 150, 750, 160, 760

- 1. Pivot jamb to have continuous vinyl seal. Strike jamb and strike rail to have continuous magnetic strip.
- 2. Pull handles to be extruded aluminum to match unit with magnetic latch and vinyl seal.

All Thinline Units

- 1. All doors to have continuous drip rail and vinyl seal at bottom of door. Drip to be attached with two sided tape with no exposed screws.
- 2. Top pivot pin to have safety washer to prevent accidental dislodging of the door.

H. Units 1400, 1700

- 1. Continuous extruded ball-and-socket hinge that is integral to the hinge rail and jamb.
- 2. Hinge assemblies have a molded bushing at the top and bottom of the door panel.
- 3. Continuous water deflector and vinyl blade at the bottom of the door panel.
- 4. Adjustable for precise fit-to-wall conditions. Optional side fillers available for extreme out-of-plumb conditions.
- 5. Total unit width adjustments is $\pm 5/8"$.
- 6. Latch consists of permanently mounted magnetic strips.
- 7. Side panels (1412 & 1413), return panels (1414 & 1415), neo-angle units (1416) and custom configurations available with Basco Thinline applications (see separate Thinline specifications).
- 8. Detailed instruction sheets and cross sections with custom unit fabrication formulas.

For 24-hour product information and support contact us via
www.bascoshowerdoor.com



7201 Snider Road • Mason, OH 45040
(800) 543-1938 FAX (800) 989-1919
basco showerdoor.com